

# GET READY TO GO!

## How to mix Porcilis® Lawsonia ID Reconstitution in vials of Solvent for Porcilis Lawsonia ID

For 50-dose Porcilis Lawsonia ID reconstitute in 10ml Solvent for Porcilis Lawsonia ID.  
For 100-dose Porcilis Lawsonia ID reconstitute in 20ml Solvent for Porcilis Lawsonia ID.


- 1** Allow the Solvent to reach **room temperature (20-25°C)** and **shake well** before use.



shake




- 2** Add 5-10ml of Solvent to the **Porcilis Lawsonia ID** vial (vaccine dry matter) for reconstitution.



- 3** Mix thoroughly.



- 4** **Transfer** all reconstituted concentrate to the Solvent vial.



- 5** Shake it well to mix.




### READY TO USE:

0.2ml doses of **Porcilis Lawsonia ID** to be administered with IDAL



A single **dose of 0.2ml** of reconstituted vaccine in pigs can be administered **by the intradermal** route **from 3 weeks of age**.



Use the vaccine suspension **within 6 hours of reconstitution**.

Any **vaccine remaining** at the end of this time **should be discarded**.

# GET READY TO GO!

## How to mix Porcilis® Lawsonia ID Reconstitution in Porcilis PCV ID

For 50-dose Porcilis Lawsonia ID reconstitute in 10ml Porcilis PCV ID.  
For 100-dose Porcilis Lawsonia ID reconstitute in 20ml Porcilis PCV ID.


- 1** Allow the **Porcilis PCV ID** to reach **room temperature (20-25°C)** and **shake well** before use.



shake




- 2** Add 5-10ml of **Porcilis PCV ID** to the **Porcilis Lawsonia ID** vial (vaccine dry matter) for reconstitution.



- 3** Mix thoroughly.



- 4** **Transfer** all reconstituted concentrate to the **Porcilis PCV ID** vial.



- 5** Shake it well to mix.



### READY TO USE:

0.2ml doses of 2-in-1 combination vaccine against *Lawsonia intracellularis* and PCV2 to be administered with IDAL.



Porcilis® Lawsonia ID contains inactivated *Lawsonia intracellularis* strain SPAH-08<sup>3</sup> 5323 U. **POM-V**. Porcilis® PCV ID contains porcine circovirus type 2 ORF2 subunit antigen: at least 4.5 log<sub>2</sub> ELISA units. **POM-V**. Further information is available from the SPC, datasheet or package leaflet. MSD Animal Health UK Ltd. Registered office Walton Manor, Walton, Milton Keynes MK7 7AJ, UK. Registered in England & Wales no. 946942. Advice should be sought from the medicine prescriber. Prescription decisions are for the person issuing the prescription alone.

**Use Medicines Responsibly.** For more information please refer to the Responsible Use sections of the NOAH website.

Copyright © 2024 Merck & Co., Inc., Rahway, NJ, USA and its affiliates. Tel: 01908 685685 • vet-support.uk@msd.com • www.msd-animal-health.co.uk

UK-POR-24030009